



## ZEN ARCHITECT

This gel is formulated with:

**SILENAGE:** reinforces the biomechanical properties of the skin by reactivating the synthesis of the components of the dermis and DEJ that are weakened by a fast pace of life. The skin is biologically younger, firmer and tauter.

### Product Aspect

Slightly foaming and velvety light pink cream.

### Product Properties

pH = 6.0 ± 0.3.  
Stable one month at 45°C and 55°.

### Operating Method

- Heat phase A to 75°C in an emulsifier with gentle stirring.
- Add pre-mixed B (prepared previously in a deflocculator) and emulsify at 2500 rpm for 15 min.
- Heat Phase C to 75°C.
- Emulsify C in AB in an emulsifier at 2500 rpm for 10 min.
- Cool down to 35°C while stirring gently.
- Add the D ingredients one by one while stirring gently and keep mixing for 20 min.
- Check the pH.

## Formula

Phase	Raw material / Trade name	INCI name	%
A	EAU DEMINERALISEE	Water	79,43
	ELESTAB CPN (1)	C10-18 triglycerides	0,27
B	COVACRYL MV60 (2)	sodium polyacrylate	2,00
	GLYCERINE BIDISTILLEE CODEX (3)	Glycerin	3,00
C	AXOL C62 PELLETS (4)	Glyceryl stearate citrate	4,00
	HUILE DE NOYAUX D'ABRICOT RAFFINEE (5)	Prunus armeniaca kernel oil	2,00
	M.O.D. (6)	Octyldodecyl myristate	3,00
	ISOSTEARATE D'ISOSTEARYLE (6)	Isostearyl isostearate	2,00
	CAPRYLIC/CAPRIC TG MB RSPO (7)	caprylic/capric triglyceride	2,00
	PHENOXYETHANOL (8)	Phenoxyethanol	0,80
D	COVI-OX T90EU C (1)	Tocopherol & Helianthus annuus seed oil	0,05
	PARFUM	Parfum	0,05
	<b>SILENAGE GP (9)</b>	<b>Glycerin &amp; Water &amp; Phenoxyethanol &amp; Saponins &amp; Mineral salt</b>	<b>1,00</b>
	SOLUTION ROUGE CI:1720 0,1 POURCENT (10)	Water & Ci 17200	0,40

Formulation Code: CLVALG817MP